

# PERCA GUTTATA.

\*\*\*\*\*

## CHARACTER GENERICUS.

*Squamæ* duræ, asperæ.

*Opercula* spinosa.

*Bloch. ichth.* 2. p. 56.

*Thoracici.*

## CHARACTER SPECIFICUS, &c.

PERCA rubra guttis rubris.

*Bloch. ichth.* 9. p. 78. t. 312.

PERCA pinnis dorsalibus unitis, cauda integra,  
corpore punctis sanguineis adperso.

*Lin. Syst. Nat.* p. 485.

Gugupuguacu.


*Catesb.* 2. p. 14. t. 14.

---

Perca guttata, quam satis abundanter alunt maria Americana, in cibus est laudatioribus; perca communi Europea seu fluviatili fere duplo major. Color communis pulcherrime rubet, maculis plurimis obscurioribus conspersus.







London Published May 1860 by W. & A. Godefr. Newman Street.

THE  
SANGUINE PERCH.



GENERIC CHARACTER.

*Gill-Covers* spiny.

*Scales* hard and rough.

SPECIFIC CHARACTER, &c.

Red PERCH, with numerous deep-red spots.

The Hind.

*Catesb. Car.* 2. p. 14. pl. 14.

La Sanguinolente.

*Bonaterre Encycl. Ichth.* p. 130.

The Hind, or red spotted Perch.

---

The *Perca guttata*, a very common inhabitant of the West Indian seas, and, in general, much esteemed as an article of food, grows sometimes to near double the size of the common European or river Perch. Its general colour is a most beautiful red, with numerous round spots of a deeper tinge.